

Cognitive Categorization

○ 0 of 6 completed

Assessment Date

10/26/2020



A. Indicate the source of information:



Participant

Caregiver

Participant and Caregiver

Determining Report of Cognitive Decline

Based on information provided by the participant, the caregiver/informant, and/or based on the Site Investigator's judgment, determine whether the participant has experienced a decline in cognition compared with pre-morbid abilities (i.e., pre-PD). The following cognitive abilities should be considered:

Attention: Ability to sustain and direct attention, lapses.

Memory: Registration, recall of recent events or important dates, new learning ability, misplacement of items, forgetting items.

Orientation: Forgetting appointments, estimating time, spatial or geographical orientation.

Executive abilities: Reasoning ability, making decisions, following instructions, difficulty with calculations.

Praxis: Constructional or mechanical cognitive ability, such as use of tools and appliances.

Language: Word finding problems, problems with naming or comprehension.

1. Has the participant experienced cognitive decline?



No

Yes

Determining Functional Impairment

Based on information provided by the participant, the caregiver/informant, and/or based on the Site Investigator's judgment, determine whether the participant has experienced a significant decline in functional abilities (from a cognitive standpoint) to the extent of demonstrating impairment in performing instrumental activities of daily living, examples of which include: driving, managing finances, managing medications, shopping, food preparation, participation in hobbies and employment.

2. Does the subject have clinically significant functional impairment as a result of cognitive impairment? ⋮

No

Yes

Determining Cognitive Diagnosis

Based on your impression of the participant's current cognitive function, which may include performance on neuropsychological testing, as well as your knowledge of his/her pre-morbid cognitive function and the degree to which cognitive deficits impact his/her ability to carry out daily activities, please rate the subject's current cognitive status. The determination of dementia implies (1) cognitive function that is impaired in more than one cognitive domain, (2) decline from pre-morbid function, and (3) significant impact of cognitive impairment on daily function. The determination of MCI is based on (1) impairment in at least one cognitive domain, (2) decline from pre-morbid function, and (3) lack of significant impact of cognitive impairment on daily function.

3. Based on your clinical impression, which of the following categories best describes the participant's cognitive state: ⋮

Normal Cognition (PD-NC)

Mild Cognitive Impairment (PD-MCI)

Dementia (PDD)

4. What is your level of confidence of this cognitive diagnosis? ⋮

90% - 100%

50% - 89%

10% - 49%

0% - 9%

5. Did you review any neuropsychological tests (including MoCA scores) in making this determination? ⋮

No

Yes



Other Clinical Features

Primary Clinical Diagnosis

